

Note; Urethane is a composite plastic material-60% lighter than aluminum.

Use **Composite EZ** when weight reduction is desired.

Use **Aluminum EZ** when maximum strength is desired as with very large, heavy vehicles or when heavy loads are anticipated.

<u>Application</u>	<u>Bolt Pat</u>	<u>Width</u>	<u>Aluminum EZ</u>	<u>Composite EZ</u>	<u>Composite Graph-Lite</u>
---------------------------	------------------------	---------------------	---------------------------	----------------------------	------------------------------------

ARCTIC CAT

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

A-Cat 90, 02-16 (f&r)	4/110	1.5"	ws4110f	4110f	
A-Cat 90, 02-16 (f&r)	4/110	2.5"	utv4110y	4110	
A-Cat 150, 09-17 (f&r)	4/115	1.5"	utv4115f	4115f	
A-Cat 150, 09-17 (f&r)	4/115	2.5"	utv4115	4115	
A-Cat 250, 2x4 06-08 (f)	4/144	1.5"		4144f	gl145f
A-Cat 250, 2x4, 06-08 (r)	4/110	2.5"	utv4110y	4110	gl110
A-Cat 250, 2x4, 06-08 (r)	4/110	1.5"	ws4110f	4110f	gl110f
A-Cat 250i, 03-07 (f&r)	4/115	1.5"	utv4115f	4115f	
A-Cat 250i, 03-07 (f&r)	4/115	2.5"	utv4115	4115	
A-Cat 300i, 02-03 (f&r)	4/115	1.5"	utv4115f	4115f	
A-Cat 300i, 02-03 (f&r)	4/115	2.5"	utv4115	4115	
A-Cat 300, 2x4 auto, 11-16 (f)	4/144	1.5"		4144f	gl145f
A-Cat 300, 2x4 auto 11-16 (r)	4/110	2.5"	utv4110y	4110	gl110
A-Cat 300, 2x4 auto 11-16 (r)	4/110	1.5"	ws4110f	4110f	gl110f
A-Cat 350, hi efi 11-13 (f&r)	4/115	1.5"	utv4115f	4115f	
A-Cat 350, hi efi 11-13 (f&r)	4/115	2.5"	utv4115	4115	
A-Cat 366, 4wd auto & se 11-13 (f&r)	4/115	1.5"	utv4115f	4115f	
A-Cat 366, 4wd auto & se 11-13 (f&r)	4/115	2.5"	utv4115	4115	

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

A-Cat 375, 02-03 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 400, 06-15 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 400, 06-15 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 425, 11-12 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 425, 11-12 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 450, 10-15 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 450, 10-15 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 500, 00-17 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 500, 00-17 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 550, 09-15 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 550, 09-15 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 650, 04-12 (f&r)	4/115	1.5"	utv4115f	4115f
A-Cat 650, 04-12 (f&r)	4/115	2.5"	utv4115	4115
A-Cat 700, 07-15 (f&r)	4/115	1.5"	utv4115f	
A-Cat 700, 07-15 (f&r)	4/115	2.5"	utv4115	
A-Cat 1000, 09-17 (f&r)	4/115	1.5"	utv4115f	
A-Cat 1000, 09-17 (f&r)	4/115	2.5"	utv4115	
Alterra 90, 17 (f&r)	4/115	1.5"	utv4115f	4115f
Alterra 90, 17 (f&r)	4/115	2.5"	utv4115	4115
Alterra 400, 16-17 (f&r)	4/115	1.5"	utv4115f	4115f
Alterra 400, 16-17 (f&r)	4/115	2.5"	utv4115	4115
Alterra 450, 16 (f&r)	4/115	1.5"	utv4115f	4115f
Alterra 450, 16 (f&r)	4/115	2.5"	utv4115	4115

APPLICATION CHART

Alterra 500 16-18 (f&r)	4/115	1.5"	utv4115f	4115f
Alterra 500 16-18 (f&r)	4/115	2.5"	utv4115	
Alterra 550, 16 (f&r)	4/115	1.5"	utv4115f	4115f
Alterra 550, 16 (f&r)	4/115	2.5"	utv4115	
Alterra 700, 16-18 (f&r)	4/115	1.5"	utv4115f	
Alterra 700, 16-18 (f&r)	4/115	2.5"	utv4115	
Alterra 1000, 17 (f&r)	4/115	1.5"	utv4115f	
Alterra 1000, 17 (f&r)	4/115	2.5"	utv4115	

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

DVX90, 02-17 (f&r)	4/110	1.5"	ws4110f	4110f	gl110f
DVX90, 02-17 (f&r)	4/110	2.5"	utv4110y	4110	gl110
DVX150, 12-14 (f&r)	4/110	1.5"	ws4110f	4110f	gl110f
DVX150, 12-14 (f&r)	4/110	2.5"	utv4110y	4110	gl110
DVX250, 06-08 (f)	4/144	1.5"		4144f	gl145f
DVX250, 06-08 (r)	4/110	2.5"	utv4110y	4110	gl110
DVX250, 06-08 (r)	4/110	1.5"	ws4110f	4110f	gl110f
DVX300, 09-15 (f)	4/144	1.5"		4144f	gl145f
DVX300, 09-15 (r)	4/110	2.5"	utv4110y	4110	gl110
DVX300, 09-15 (r)	4/110	1.5"	ws4110f	4110f	gl110f
DVX400, 04-08 (f)	4/144	1.5"		4144f	gl145f
DVX400, 04-08 (r)	4/110	2.5"	utv4110y	4110	gl110
DVX400, 04-08 (r)	4/110	1.5"	ws4110f	4110f	gl110f
HDX500 16 (f&r)	4/115	1.5"	utv4115f		
HDX500 16 (f&r)	4/115	2.5"	utv4115		
HDX700 16 (f&r)	4/115	1.5"	utv4115f		
HDX700 16 (f&r)	4/115	2.5"	utv4115		

HDX Crew 700 17 (f&r)	4/115	1.5"	utv4115f
HDX Crew 700 17 (f&r)	4/115	2.5"	utv4115
Mudpro 650, 10-12 (f&r)	4/115	1.5"	utv4115f
Mudpro 650, 10-12 (f&r)	4/115	2.5"	utv4115
Mudpro 700, 13-17 (f&r)	4/115	1.5"	utv4115f
Mudpro 700, 13-17 (f&r)	4/115	2.5"	utv4115
Mudpro 1000, 12-17 (f&r)	4/115	1.5"	utv4115f
Mudpro 1000, 12-17 (f&r)	4/115	2.5"	utv4115
Prowler 500, 14-18 (f&r)	4/115	1.5"	utv4115f
Prowler 500, 14-18 (f&r)	4/115	2.5"	utv4115
Prowler 550, 09-15 (f&r)	4/115	1.5"	utv4115f
Prowler 550, 09-15 (f&r)	4/115	2.5"	utv4115
Prowler 650, 09 (f&r)	4/115	1.5"	utv4115f
Prowler 650, 09 (f&r)	4/115	2.5"	utv4115
Prowler 700, 11-17 (f&r)	4/115	1.5"	utv4115f
Prowler 700, 11-17 (f&r)	4/115	2.5"	utv4115
Prowler 1000, 11-17 (f&r)	4/115	1.5"	utv4115f
Prowler 1000, 11-17 (f&r)	4/115	2.5"	utv4115
Stampede 850, 18 (f&r)	4/115	1.5"	utv4115f
Stampede 850, 18 (f&r)	4/115	2.5"	utv4115
Thundercat 1000, 09-11 (f&r)	4/115	1.5"	utv4115f
Thundercat 1000, 09-11 (f&r)	4/115	2.5"	utv4115
TBX700, 11-17 (f&r)	4/115	1.5"	utv4115f
TBX700, 11-17 (f&r)	4/115	2.5"	utv4115

TRV400 all, 06-10, 13-14 (f&r)	4/115	1.5"	utv4115f	
TRV400 all, 06-10, 13-14 (f&r)	4/115	2.5"	utv4115	
TRV450 all, 11-12 (f&r)	4/115	1.5"	utv4115f	
TRV450 all, 11-12 (f&r)	4/115	2.5"	utv4115	
TRV500, 05-15 (f&r)	4/115	1.5"	utv4115f	
TRV500, 05-15 (f&r)	4/115	2.5"	utv4115	
TRV550, 11-15 (f&r)	4/115	1.5"	utv4115f	
TRV550, 11-15 (f&r)	4/115	2.5"	utv4115	
TRV650, 07-08 (f&r)	4/115	1.5"	utv4115f	
TRV650, 07-08 (f&r)	4/115	2.5"	utv4115	
TRV700, 11-16 (f&r)	4/115	1.5"	utv4115f	
TRV700, 11-16 (f&r)	4/115	2.5"	utv4115	
TRV1000, 12-15 (f&r)	4/115	1.5"	utv4115f	
TRV1000, 12-15 (f&r)	4/115	2.5"	utv4115	
Wildcat 700, 14-18 (f&r)	4/115	1.5"	utv4115f	
Wildcat 700, 14-18 (f&r)	4/115	2.5"	utv4115	
Wildcat 1000, 12-18 (f&r)	4/115	1.5"	utv4115f	
Wildcat 1000, 12-18 (f&r)	4/115	2.5"	utv4115	
Wildcat 4 1000, 13-18 (f&r)	4/115	1.5"	utv4115f	
Wildcat 4 1000, 13-18 (f&r)	4/115	2.5"	utv4115	
XC450i, 11-17 (f&r)	4/115	1.5"	utv4115f	4115f
XC450i, 11-17 (f&r)	4/115	2.5"	utv4115	4115

CanAm

Durablue, Inc.
20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Commander 800, 11-18 (f&r)	4/137	1.5"	ws4137f	
Commander 800, 11-18 (f&r)	4/137	2.5"	ws4137-10	
Commander Max 800, 17-18 (f&r)	4/137	1.5"	ws4137f	
Commander Max 800, 17-18 (f&r)	4/137	2.5"	ws4137-10	
Commander 1000, 11-18 (f&r)	4/137	1.5"	ws4137f	
Commander 1000, 11-18 (f&r)	4/137	2.5"	ws4137-10	
Commander Max 1000, 14-18 (f&r)	4/137	1.5"	ws4137f	
Commander Max 1000, 14-18 (f&r)	4/137	2.5"	ws4137-10	
Defender 500, 18 (f&r)	4/137	1.5"	ws4137f	
Defender 500, 18 (f&r)	4/137	2.5"	ws4137-10	
Defender 800, 17-18 (f&r)	4/137	1.5"	ws4137f	
Defender 800, 17-18 (f&r)	4/137	2.5"	ws4137-10	
Defender Max 800, 17-18 (f&r)	4/137	1.5"	ws4137f	
Defender Max 800, 17-18 (f&r)	4/137	2.5"	ws4137-10	
Defender 1000, 17-18 (f&r)	4/137	1.5"	ws4137f	
Defender 1000, 17-18 (f&r)	4/137	2.5"	ws4137-10	
Defender Max 1000, 17-18 (f&r)	4/137	1.5"	ws4137f	
Defender Max 1000, 17-18 (f&r)	4/137	2.5"	ws4137-10	
note; wheel must be large enough to accept 6" diameter spacer at mounting surface				
Ds90x, 09-16, 17-18 (f&r)	4/110	1.5"	ws4110fc	4110fc
ds250, 06-18 (f&r)	4/110	1.5"	ws4110f	4110f
ds250, 06-18 (f&r)	4/110	2.5"	ws4110y	4110
ds450, 08-15 (f)	4/144	1.5"		4144fc
ds450, 08-15 (f)	4/110	1.5"	ws4110fc	4110fc

Durablue, Inc.
20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

ds650, 00-07 (f&r)	4/143	1.5"		4143f
Maverick 900, 17-18 (f&r)	4/137	2.5"	utv4137h	
Maverick 1000, 13-18 (f&r)	4/137	1.5"	ws4137f	
Maverick 1000, 13-18 (f&r)	4/137	2.5"	ws4137-10	
Maverick Max 1000, 14-18 (f&r)	4/137	1.5"	ws4137f	
Maverick Max 1000, 14-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander 330, 03-09 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander 330, 03-09 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander 400, 03-14 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander 400, 03-14 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander Max 400, 03-14 (f&r)	4/137	1.5"	ws4137f	
Outlander Max 400, 03-14 (f&r)	4/137	2.5"	ws4137-10	
Outlander 450, 07-18 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander 450, 07-18 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander Max 450, 17 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander Max 450, 17 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander 500, 07-15 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander 500, 07-15 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander Max 500, 07-15 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander Max 500, 07-15 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander 570, 16-18 (f&r)	4/137	1.5"	ws4137f	4137f
Outlander 570, 16-18 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander Max 570, 16-17 (f&r)	4/137	1.5"	ws4137f	4137f

Outlander Max 570, 16-17 (f&r)	4/137	2.5"	ws4137-10	4137
Outlander 650, 06-18 (f&r)	4/137	1.5"	ws4137f	
Outlander 650, 06-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander Max 650, 06-18 (f&r)	4/137	1.5"	ws4137f	
Outlander Max 650, 06-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander 800, 06-15 (f&r)	4/137	1.5"	ws4137f	
Outlander 800, 06-15 (f&r)	4/137	2.5"	ws4137-10	
Outlander Max 800, 07-15 (f&r)	4/137	1.5"	ws4137f	
Outlander Max 800, 07-15 (f&r)	4/137	2.5"	ws4137-10	
Outlander 850, 16-18 (f&r)	4/137	1.5"	ws4137f	
Outlander 850, 16-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander Max 850, 16-18 (f&r)	4/137	1.5"	ws4137f	
Outlander Max 850, 16-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander 1000, 12-18 (f&r)	4/137	1.5"	ws4137f	
Outlander 1000, 12-18 (f&r)	4/137	2.5"	ws4137-10	
Outlander Max 1000, 13-18 (f&r)	4/137	1.5"	ws4137f	
Outlander Max 1000, 13-18 (f&r)	4/137	2.5"	ws4137-10	
Quest 500, 00-05 (f&r)	4/110	1.5"	ws4110fc	4110fc
Quest 650, 00-05 (f&r)	4/110	1.5"	ws4110fc	4110fc
Renegade 500, 07-15 (f&r)	4/137	1.5"	ws4137f	4137f
Renegade 500, 07-15 (f&r)	4/137	2.5"	ws4137-10	
Renegade 570, 16-18 (f&r)	4/137	1.5"	ws4137f	
Renegade 570, 16-18 (f&r)	4/137	2.5"	ws4137-10	

APPLICATION CHART

Renegade 800, 07-15 (f&r)	4/137	1.5"	ws4137f	
Renegade 800, 07-15 (f&r)	4/137	2.5"	ws4137-10	
Renegade 850, 16-18 (f&r)	4/137	1.5"	ws4137f	
Renegade 850, 16-18 (f&r)	4/137	2.5"	ws4137-10	
Renegade 1000, 12-18 (f&r)	4/137	1.5"	ws4137f	
Renegade 1000, 12-18 (f&r)	4/137	2.5"	ws4137-10	
Traxster Max 500, 4wd 99-05 (f&r)	4/110	1.5"	ws4110fc	4110fc

CANNONDALE

all, 01/03 (f)	4/144	1.5"		4144f	gl145f
all, 01/03 (r)	4/110	2.5"	utv4110y	4110	gl110
all, 01/03 (r)	4/110	1.5"	ws4110f	4110f	gl110f

CFMOTO

note; open headed lug nuts may be required

Cforce 400, 16-18 (f&r)	4/110	1.5"	utv4110fy	
Cforce 400, 16-18 (f&r)	4/110	2.5"	utv4110y	
Cforce 500, 08-18 (f&r)	4/110	1.5"	utv4110fy	
Cforce 500, 08-18 (f&r)	4/110	2.5"	utv4110y	
Cforce 600, 08-15 (f&r)	4/110	1.5"	utv4110fy	
Cforce 600, 08-15 (f&r)	4/110	2.5"	utv4110y	
Cforce 800, 08-18 (f&r)	4/110	1.5"	utv4110fy	
Cforce 800, 08-18 (f&r)	4/110	2.5"	utv4110y	
Uforce 500, 16-18 (f&r)	4/110	1.5"	utv4110fy	
Uforce 500, 16-18 (f&r)	4/110	2.5"	utv4110y	

Durablue, Inc.
 20521 Crescent Bay Dr.
 Lake Forest, CA 92630

949-770-5533
 fax 949-768-4273
 www.durablue.com

Uforce 600, 08-14 (f&r)	4/110	1.5"	utv4110fy
Uforce 600, 08-14 (f&r)	4/110	2.5"	utv4110y
Uforce 800, 08-18 (f&r)	4/110	1.5"	utv4110fy
Uforce 800, 08-18 (f&r)	4/110	2.5"	utv4110y
Zforce 500, 16-18 (f&r)	4/110	1.5"	utv4110fy
Zforce 500, 16-18 (f&r)	4/110	2.5"	utv4110y
Zforce 600, 08-18 (f&r)	4/110	1.5"	utv4110fy
Zforce 600, 08-18 (f&r)	4/110	2.5"	utv4110y
Zforce 800, 15-18 (f&r)	4/110	1.5"	utv4110fy
Zforce 800, 15-18 (f&r)	4/110	2.5"	utv4110y
Zforce 1000, 18 (f&r)	4/110	1.5"	utv4110fy
Zforce 1000, 18 (f&r)	4/110	2.5"	utv4110y

E-TON

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

Viper 50, 98-14 (f&r)	4/110	1.5"	ws4110f	4110f
Viper 50, 98-14 (f&r)	4/110	2.5"	utv4110y	4110
Viper 70, 08-15 (f&r)	4/110	1.5"	ws4110f	4110f
Viper 70, 08-15 (f&r)	4/110	2.5"	utv4110y	4110
Viper 90, 98-15 (f&r)	4/110	1.5"	ws4110f	4110f
Viper 90, 98-15 (f&r)	4/110	2.5"	utv4110y	4110
Viper 150, 08 (f)	4/156	1.5"		4156f
Viper 150, 08 (r)	4/110	1.5"	ws4110f	4110f
Viper 150, 08 (r)	4/110	2.5"	utv4110y	4110

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Yukon 150, 98-08 (f)	4/156	1.5"		4156f
Yukon 150, 98-08 (r)	4/110	1.5"	ws4110f	4110f
Yukon 150, 98-08 (r)	4/110	2.5"	utv4110y	4110
Vector 250, 08 (f&r)	4/110	1.5"	ws4110f	4110f
Vector 250, 08 (f&r)	4/110	2.5"	utv4110y	4110

GAS-GAS

Q-Wild HP, 300/400fs/450fs 03-11 (f)	4/144	1.5"		4144f	gl145f
Q-Wild HP, 300/400fs/450fs 03-11 (r)	4/110	1.5"	ws4110f	4110f	
Q-Wild HP, 300/400fs/450fs 03-11 (r)	4/110	2.5"	utv4110y	4110	gl110

HONDA

atc90/110, thru 81 (r)	3/100	2.5"		3100	gl303
atc110/125/125m, 82-87 (r)	4/130	2.5"		4130	gl130
atc185s, thru 81 (r)	3/100	2.5"		3100	gl303
atc185s, 82-84 (r) (requires 20-1610-8)	4/130	2.5"		4130	
atc200s, 84-85 (r)	4/130	2.5"		4130	
atc200x, 83-87 (r)	4/110	1.5"	ws4110f	4110f	gl110f
atc200x, 83-87 (r)	4/110	2.5"	utv4110y	4110	gl110
atc250 Big Red, 85 (r)	4/110	1.5"	ws4110f	4110f	gl110f
atc250 Big Red, 85 (r)	4/110	2.5"	utv4110y	4110	gl110
atc250sx, 85-87 (r)	4/110	1.5"	ws4110f	4110f	gl110f
atc250sx, 85-87 (r)	4/110	2.5"	utv4110y	4110	
atc250r, 81 (r)	3/100	2.5"		3100	gl303

APPLICATION CHART

atc250r, 82 (r)	4/130	2.5"		4130	gl130
atc250r, 83-86 (r)	4/110	1.5"	ws4110f	4110f	gl110f
atc250r, 83-86 (r)	4/110	2.5"	utv4110y	4110	gl110
atc350x, 85-86 (r)	4/110	1.5"	ws4110f	4110f	gl110f
atc350x, 85-86 (r)	4/110	2.5"	utv4110y	4110	gl110
Big Red 700, 09-13 (f&r)	4/110	2.5"	utv4110h		
Foreman 400, 96-06 (f&r)	4/110	1.5"	ws4110f	4110f	
Foreman 400, 96-06 (f&r)	4/110	2.5"	utv4110y	4110	
Foreman 450, 98-04 (f&r)	4/110	1.5"	ws4110f	4110f	
Foreman 450, 98-04 (f&r)	4/110	2.5"	utv4110y	4110	
Foreman 500, 05-18 (f&r)	4/110	1.5"	ws4110f	4110f	
Foreman 500, 05-18 (f&r)	4/110	2.5"	utv4110y	4110	
Foreman Rubicon 500, 04-18 (f&r)	4/110	1.5"	ws4110f	4110f	
Foreman Rubicon 500, 04-18 (f&r)	4/110	2.5"	utv4110y	4110	
Odyssey, 77-81 (f&r)	3/100	2.5"		3100	gl303
Odyssey, 85-86 (r)	4/130	2.5"		4130	gl130
Odyssey, 85-86 (f)	4/110	1.5"	ws4110f	4110f	
Pilot, 89-90 (f)	4/110	1.5"	ws4110f	4110f	
Pilot, 89-90 (r)	4/130	2.5"		4130	gl130
Pioneer 500, 15-17 (f&r)	4/110	2.5"	utv4110h		
Pioneer 700, 14-18 (f&r)	4/110	2.5"	utv4110h		
Pioneer 700-4, 14-18 (f&r)	4/110	2.5"	utv4110h		
Pioneer 1000, 16-18 (f&r)	4/137	2.5"	utv4137h		
Pioneer 1000-5, 16-18 (f&r)	4/137	2.5"	utv4137h		

Rancher 350, 00-06 (f&r)	4/110	1.5"	ws4110f	4110f
Rancher 350, 00-06 (f&r)	4/110	2.5"	utv4110y	4110
Rancher 400, 04-07 (f&r)	4/110	1.5"	ws4110f	4110f
Rancher 400, 04-07 (f&r)	4/110	2.5"	utv4110y	4110
Rancher 420, 07-18 (f&r)	4/110	1.5"	ws4110f	4110f
Rancher 420, 07-18 (f&r)	4/110	2.5"	utv4110y	4110
Recon 250, 97-18 (f&r)	4/110	1.5"	ws4110f	4110f
Recon 250, 97-18 (f&r)	4/110	2.5"	utv4110y	4110
Rubicon 500 4wd, 01-13 (f&r)	4/110	1.5"	ws4110f	4110f
Rubicon 500 4wd, 01-13 (f&r)	4/110	2.5"	utv4110y	4110
Rincon 650, 03-05 & 15 (f&r)	4/110	1.5"	ws4110f	
Rincon 650, 03-05 & 15 (f&r)	4/110	2.5"	utv4110y	
Rincon 680, 06-18 (f&r)	4/110	1.5"	ws4110f	
Rincon 680, 06-18 (f&r)	4/110	2.5"	utv4110y	

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

trx70, 86-87 (f)	4/110	1.5"		4110f
trx70, 86-87 (r)	3/100	2.5"		3100
trx90ex/x, 93-18 (f&r)	4/85	1.5"		4085f
trx90ex/x, 93-18 (f&r)	4/85	2.5"		4085
trx125, 87-88 (f)	4/85	1.5"		4085f
trx125, 85-88 (r)	4/130	2.5"		4130
trx200, 90-93, 96-97 (f&r)	4/110	1.5"	ws4110f	4110f
trx200, 90-93, 96-97 (f&r)	4/110	2.5"	utv4110y	4110
trx200sx, 86-88 (r)	4/110	2.5"	utv4110y	4110
trx200sx, 86-88 (r)	4/110	1.5"	ws4110f	4110f
				gl110f

APPLICATION CHART

trx250 Big Red, 86-87 (f&r)	4/110	1.5"	ws4110f	4110f	
trx250 Big Red, 86-87 (f&r)	4/110	2.5"	utv4110y	4110	gl110
trx250r, 86-89 (f)	4/144	1.5"		4144f	gl145f
trx250r, 86-89 (r)	4/110	2.5"	utv4110y	4110	gl110
trx250r, 86-89 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx250x, 86-87 (f)	4/110	1.5"	ws4110f	4110f	gl110f
trx250x, 86-87 (f)	4/110	2.5"	utv4110y	4110	gl110
trx250x, 88, 90-92 (f)	4/144	1.5"		4144f	gl145f
trx250x, 86-92 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx250x, 86-92 (r)	4/110	2.5"	utv4110y	4110	gl110
trx250ex, 00-08/trx250x, 09-18 (f)	4/144	1.5"		4144f	gl145f
trx250ex, 00-08/trx250x, 09-18 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx250ex, 00-08/trx250x, 09-18 (r)	4/110	2.5"	utv4110y	4110	gl110
trx300ex/x, 93-14 (f)	4/144	1.5"		4144f	gl145f
trx300ex/x, 93-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx300ex/x, 93-14 (r)	4/110	2.5"	utv4110y	4110	gl110
trx300, 88-00 (f&r)	4/110	1.5"	ws4110f	4110f	
trx300, 88-00 (f&r)	4/110	2.5"	utv4110y	4110	gl110
trx350, 86-92 (f&r)	4/110	1.5"	ws4110f	4110f	
trx350, 86-92 (f&r)	4/110	2.5"	utv4110y	4110	
trx400ex/x, 99-14 (f)	4/144	1.5"		4144f	gl145f
trx400ex/x, 99-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx400ex/x, 99-14 (r)	4/110	2.5"	utv4110y	4110	gl110
trx450r, 04-14 (f)	4/144	1.5"		4144f	gl145f
trx450r, 04-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
trx450r, 04-14 (r)	4/110	2.5"	utv4110y	4110	gl110

trx700xx, 08-12 (f&r)	4/144	1.5"	4144f	gl145f
-----------------------	-------	------	-------	--------

KASEA

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

Skyhawk/Outback 50, 98-08 (f)	4/110	1.5"	4110f	
Skyhawk/Outback 50, 98-08 (r)	4/100	2.5"	4100	gl100
Skyhawk/Outback 90, 98-08 (f)	4/110	1.5"	4110f	
Skyhawk/Outback 90, 98-08 (r)	4/100	2.5"	4100	gl100
Skyhawk 170, 98-08 (f)	4/156	1.5"	ws4155f	4156f
Skyhawk 170, 98-08 (r)	4/100	2.5"	4100	gl100
Skyhawk 250, 98-08 (f)	4/156	1.5"	ws4155f	4156f
Skyhawk 250, 98-08 (r)	4/100	2.5"	4100	gl100

KAWASAKI

Bayou klf185, 85-87 (r)	4/110	2.5"	utv4110y	4110
Bayou klf220, 88-03 (f)	4/110	1.5"	ws4110f	4110f
Bayou klf220, 88-03 (r)	4/137	1.5"	ws4137f	4137f
Bayou klf220, 88-03 (r)	4/137	2.5"	ws4137-10	4137
Bayou klf250, 03-12 (f)	4/110	1.5"	ws4110f	4110f
Bayou klf250, 03-12 (f)	4/110	2.5"	utv4110y	4110
Bayou klf250, 03-12 (r)	4/137	2.5"	ws4137-10	4137
Bayou klf300, 85-04 (f&r)	4/137	1.5"	ws4137f	4137f
Bayou klf300, 85-04 (f&r)	4/137	1.5"	ws4137f	4137f
Bayou klf300, 85-04 (f&r)	4/137	2.5"	ws4137-10	4137

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

Bayou klf400, 93-05 (f&r)	4/137	1.5"	ws4137f	4137f	
Bayou klf400, 93-05 (f&r)	4/137	2.5"	ws4137-10	4137	
Brute Force 300, 13-18 (r)	4/110	1.5"	ws4110f	4110f	
Brute Force 300, 13-18 (f)	4/110	2.5"	utv4110y	4110	
Brute Force 650, 00-13 (f&r)	4/137	1.5"	ws4137f	4137f	
Brute Force 650, 00-13 (f&r)	4/137	2.5"	ws4137-10	4137	
Brute Force 650i IRS, 06-13 (f&r)	4/110	1.5"	ws4110f		
Brute Force 650i IRS, 06-13 (f&r)	4/110	2.5"	utv4110y		
Brute Force 750i IRS, 05-18 (f&r)	4/110	1.5"	ws4110f		
Brute Force 750i IRS, 05-18 (f&r)	4/110	2.5"	utv4110y		
klt110/160/185/200, all (r)	4/101	1.5"			gl101f
klt110/160/185/200, all (r)	4/101	2.5"			gl101
klt250, 82-85 (r)	4/101	1.5"			gl101f
klt250, 82-85 (r)	4/101	2.5"			gl101
note; wheel must be large enough to accept 6" diameter spacer at mounting surface					
kfx50, 02-17 (f&r)	3/100	2.5"		3100-8	
kfx80, 03-06 (f&r)	3/120	2.5"		3120	gl315
kfx 90, 07-17 (f&r)	4110	1.5"	ws4110f	4110f	
kfx 90, 07-17 (f&r)	4110	2.5"	utv4110y	4110	
kfx400, 03-06 (f)	4/144	1.5"		4144f	gl145f
kfx400, 03-06 (r)	4/110	1.5"	ws4110f	4110f	gl110f
kfx400, 03-06 (r)	4/110	2.5"	utv4110y	4110	gl110
kfx450r, 08-14 (f)	4/144	1.5"		4144f	gl145f
kfx450r, 08-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
kfx450r, 08-14 (r)	4/110	2.5"	utv4110y	4110	gl110

APPLICATION CHART

kfx700 V-Force, 03-09 (f)	4/144	1.5"		4144f	
kfx700 V-Force, 03-09 (r)	4/137	1.5"	ws4137f	4137f	
kfx700 V-Force, 03-09 (r)	4/137	2.5"	ws4137-10		
klf300b Lacota, 95-03 (f&r)	4/156	1.5"	ws4155f	4156f	gl155f
klf300b Lacota, 95-03 (f&r)	4/156	2.5"	ws4155	4156	gl155
ksf250 Mojave, 86-04 (f&r)	4/156	1.5"	ws4155f	4156f	gl155f
ksf250 Mojave, 86-04 (f&r)	4/156	2.5"	ws4155	4156	gl155
Mule SX 400, 17-18 (f&r)	4/137	2.5"	ws4137-10		
Mule 500, 91-95 (f&r)	4/137	2.5"	ws4137-10		
Mule 600, 11-14 (f&r)	4/137	2.5"	ws4137-10		
Mule 610, 08-14 (f&r)	4/137	2.5"	ws4137-10		
Mule 1000, (f&r)	4/137	2.5"	ws4137-10		
Mule 2500, 94-00 (f&r)	4/137	2.5"	utv4137		
Mule 3000, 01-08 (f&r)	4/137	2.5"	utv4137		
Mule 4000, 12-18 (f&r)	4/137	2.5"	utv4137		
Mule 4010, 11-18 (f&r)	4/137	2.5"	utv4137		
Mule Pro 800, 15-18 (f&r)	4/156	2.5"	utv4156k		
Mule Pro 1000 diesel, 17-18 (f&r)	4/156	2.5"	utv4156k		
Prairie kvf300, 99-08 (f&r)	4/137	1.5"	ws4137f	4137f	
Prairie kvf300, 99-08 (f&r)	4/137	2.5"	ws4137-10	4137	
Prairie kvf360, 03-13 (f&r)	4/137	1.5"	ws4137f	4137f	
Prairie kvf360, 03-13 (f&r)	4/137	2.5"	ws4137-10	4137	
Prairie kvf400, 97-05 (f&r)	4/137	1.5"	ws4137f	4137f	
Prairie kvf400, 97-05 (f&r)	4/137	2.5"	ws4137-10	4137	
Prairie kvf650, 97-03 (f&r)	4/137	1.5"	ws4137f	4137f	
Prairie kvf650, 97-03 (f&r)	4/137	2.5"	ws4137-10		
Prairie kvf700 4wd, 04-07 (f)	4/137	1.5"	ws4137f	4137f	

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Prairie kvf700 4wd, 04-07 (r)	4/137	1.5"	ws4137f	4137f	
Prairie kvf700 4wd, 04-07 (r)	4/137	2.5"	ws4137-10		
Tecate kxt250, 84 (r)	4/101	1.5"			gl101f
Tecate kxt250, 84 (r)	4/101	2.5"			gl101
Tecate kxt250, 85-87 (r)	4/156	1.5"	ws4155f	4156f	gl155f
Tecate kxt250, 85-87 (r)	4/156	2.5"	ws4155	4156	gl155
Tecate4 kxt250, 87-88 (f&r)	4/156	1.5"	ws4155f	4156f	gl155f
Tecate4 kxt250, 87-88 (f&r)	4/156	2.5"	ws4155	4156	gl155
Teryx 750, 08-13 (f&r)	4/137	2.5"	utv4137		
Teryx4 750, 12-14 (f&r)	4/137	2.5"	utv4137		
Teryx 800, 14-18 (f&r)	4/137	2.5"	utv4137		
Teryx4 800, 14-18 (f&r)	4/137	2.5"	utv4137		
V-Force 700, 03-09 (f)	4/144	1.5"		4144f	
V-Force 700, 03-09 (r)	4/137	1.5"	ws4137f		
V-Force 700, 03-09 (r)	4/137	2.5"	ws4137-10		

KTM

450/505/525, 09-11 (f)	4/156	1.5"		4156f	
450/505/525, 09-11 (r)	4/110	1.5"	ws4110f	4110f	
450/505/525, 09-11 (r)	4/110	2.5"	utv4110y	4110	

KYMCO

Mongoose 50/70/90, 06-15 (f&r)	4/110	1.5		4110fk	
Mongoose 50/70/90, 06-15 (f&r)	4/110	2.5		4110k	

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Mongoose 250, 06-11 (f)	4/144	1.5"		4144f	gl145f
Mongoose 250, 06-11 (r)	4/110	1.5"	ws4110f	4110f	
Mongoose 250, 06-11 (r)	4/110	2.5"	utv4110y	4110	gl110
Mongoose 300, 08-15 (f)	4/144	1.5"		4144f	gl145f
Mongoose 300, 08-15 (r)	4/110	1.5"	ws4110f	4110f	
Mongoose 300, 08-15 (r)	4/110	2.5"	utv4110y	4110	gl110
Maxxer 375, 10-12 (f&r)	4/110	1.5"	ws4110f	4110f	
Maxxer 375, 10-12 (f&r)	4/110	2.5"	utv4110y	4110	gl110
Maxxer 450i, 12-15 (f&r)	4/110	1.5"	ws4110f	4110f	
Maxxer 450i, 12-15 (f&r)	4/110	2.5"	utv4110y	4110	gl110
Mxer 150, 06 (f&r)	4/110	1.5"		4110fk	
Mxer 150, 06 (f&r)	4/110	2.5"		4110k	
MXU150, 08-15 (f)	4/144	1.5"		4144f	gl145f
MXU150, 08-15 (r)	4/110	1.5"	ws4110f	4110f	
MXU150, 08-15 (r)	4/110	2.5"	utv4110y	4110	gl110
MXU250, 06-09 (f)	4/144	1.5"		4144f	gl145f
MXU250, 06-09 (r)	4/110	1.5"	ws4110f	4110f	
MXU250, 06-09 (r)	4/110	2.5"	utv4110y	4110	gl110
MXU300, 08-15 (f)	4/144	1.5"		4144f	gl145f
MXU300, 08-15 (r)	4/110	1.5"	ws4110f	4110f	
MXU300, 08-15 (r)	4/110	2.5"	utv4110y	4110	gl110
MXU 375, 10-13 (f&r)	4/110	1.5"	ws4110f	4110f	
MXU 375, 10-13 (f&r)	4/110	2.5"	utv4110y	4110	gl110
MXU 450i, 12-15 (f&r)	4/110	1.5"	ws4110f	4110f	
MXU 450i, 12-15 (f&r)	4/110	2.5"	utv4110y	4110	gl110
MXU500, 08-15 (f)	4/144	1.5"		4144f	gl145f

MXU500, 08-15 (r)	4/110	1.5"	ws4110f	4110f	
MXU500, 08-15 (r)	4/110	2.5"	utv4110y	4110	gl110
MXU500i, 13-15 (f&r)	4/110	1.5"	ws4110f		
MXU500i, 13-15 (f&r)	4/110	2.5"	utv4110y		
MXU700i, 13-15 (f&r)	4/110	1.5"	ws4110f		
MXU700i, 13-15 (f&r)	4/110	2.5"	utv4110y		
UXV 450i, 15-18 (f&r)	4/110	1.5"	ws4110f	4110f	
UXV 450i, 15-18 (f&r)	4/110	2.5"	utv4110y	4110	gl110
UXV 500/i, 10-18 (f&r)	4/110	1.5"	ws4110f		
UXV 500/i, 10-18 (f&r)	4/110	2.5"	utv4110y		
UXV 700/i, 13-18 (f&r)	4/110	1.5"	ws4110f		
UXV 700/i, 13-18 (f&r)	4/110	2.5"	utv4110y		

POLARIS

ACE 170, 18 (f&r)	4/110	1.5"	ws4110f		
ACE 170, 18 (f&r)	4/110	2.5"	utv4110y		
ACE 500, 17-18 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
ACE 500, 17-18 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
ACE 570, 15-18 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
ACE 570, 15-18 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
ACE 900, 16-18 (f&r)	4/156	1.5"	utv4156f		
ACE 900, 16-18 (f&r)	4/156	2.5"	utv4156		
ATP 330, 04-05 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
ATP 330, 04-05 (f&r)	4/156	2.5"	utv4156	4156pw	gl156

APPLICATION CHART

Big Boss 250, 89-94 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Big Boss 250, 89-94 (r)	4/101	1.5"			gl101f
Big Boss 250, 89-94 (r)	4/101	2.5"			gl101
Big Boss 400L, 93-96 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Big Boss 400L, 93-96 (r)	4/101	1.5"			gl101f
Big Boss 400L, 93-96 (r)	4/101	2.5"			gl101
Big Boss 500 6x6, 96-06 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Big Boss 500 6x6, 96-06 (r)	4/101	1.5"			gl101f
Big Boss 500 6x6, 96-06 (r)	4/101	2.5"			gl101
Big Boss 800 6x6, 11-13 (f&r)	4/156	1.5"	utv4156f		
Big Boss 800 6x6, 11-13 (f&r)	4/156	2.5"	utv4156		
Cyclone 250, 86-02 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Cyclone 250, 86-02 (r)	4/101	1.5"			gl101f
Cyclone 250, 86-02 (r)	4/101	2.5"			gl101
Diesel 455, 99-06 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Diesel 455, 99-06 (f&r)	4/156	2.5"	utv4156	4156pw	
General 1000, 16-18 (f&r)	4/156	2.5"	utv4156-12		
Magnum 325, 00-06 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 325, 02-06 (r)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 325, 00-01 (r)	4/101	2.5"			gl101
Magnum 325, 02-06 (r)	4/156	2.5"	utv4156	4156pw	gl156
Magnum 425, 95-98 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 425, 95-98 (r)	4/101	1.5"			gl101f
Magnum 425, 95-98 (r)	4/101	2.5"			gl101
Magnum 425 6x6, 96-06 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 425 6x6, 96-06 (r)	4/101	1.5"			gl101f
Magnum 425 6x6, 96-06 (r)	4/101	2.5"			gl101

APPLICATION CHART

Magnum 500, 99-05 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 500, 99-01 (r)	4/101	1.5"			gl101f
Magnum 500, 92-05 (r)	4/156	1.5"	utv4156f	4156p	gl156f
Magnum 500, 99-01 (r)	4/101	2.5"			gl101
Magnum 500, 92-05 (r)	4/156	2.5"	utv4156	4156pw	gl156

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

Outlaw 50, 08-18 (f&r)	4/110	1.5"	ws4110fp		gl110fp
Outlaw 50, 08-18 (f&r)	4/110	2.5"	ws4110p	4110p	gl110p
Outlaw 90, 08-14 (f&r)	4/110	1.5"	ws4110fp		gl110fp
Outlaw 90, 08-14 (f&r)	4/110	2.5"	ws4110p	4110p	gl110p
Outlaw 110, 15-18 (f&r)	4/110	1.5"	ws4110fp		gl110fp
Outlaw 110, 15-18 (f&r)	4/110	2.5"	ws4110p	4110p	gl110p
Outlaw 450, 08-10 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Outlaw 450, 08-10 (r)	4/110	2.5"	ws4110p	4110p	
Outlaw 525, 08-11 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Outlaw 525, 08-11 (r)	4/110	2.5"	ws4110p	4110p	
Phoenix 200, 05-18 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Phoenix 200, 05-18 (r)	4/110	1.5"	ws4110fp		gl110fp
Phoenix 200, 05-18 (r)	4/110	2.5"	ws4110p	4110p	gl110p
Predator 500, 03-07 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Predator 500, 03 (r)	4/156	2.5"	utv4156	4156pw	gl156
Predator 500, 04-07 (r)	4/110	2.5"	ws4110p		
Ranger Diesel (all), 11-18 (f&r)	4/156	1.5"	utv4156f		
Ranger Diesel (all), 11-18 (f&r)	4/156	2.5"	utv4156		
Ranger EV/LSV, 11-18 (f&r)	4/156	1.5"	utv4156f		
Ranger EV/LSV, 11-18 (f&r)	4/156	2.5"	utv4156		

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

Ranger 400 (all), 10-14 (f&r)	4/156	1.5"	utv4156f
Ranger 400 (all), 10-14 (f&r)	4/156	2.5"	utv4156
Ranger 500, 11-18 (f&r)	4/156	1.5"	utv4156f
Ranger 500, 11-18 (f&r)	4/156	2.5"	utv4156
Ranger Crew 500, 11-12 (f&r)	4/156	1.5"	utv4156f
Ranger Crew 500, 11-12 (f&r)	4/156	2.5"	utv4156
Ranger 500 6x6, 98-11 (f&r)	4/156	1.5"	utv4156f
Ranger 500 6x6, 98-11 (f&r)	4/156	2.5"	utv4156
Ranger 570, 14-18 (f&r)	4/156	1.5"	utv4156f
Ranger 570, 14-18 (f&r)	4/156	2.5"	utv4156
Ranger Crew 570, 14-18 (f&r)	4/156	1.5"	ws4155f
Ranger Crew 570, 14-18 (f&r)	4/156	2.5"	ws4155
Ranger 800, 11-14 (f&r)	4/156	1.5"	utv4156f
Ranger 800, 11-14 (f&r)	4/156	2.5"	utv4156
Ranger Crew 800, 11-14 (f&r)	4/156	1.5"	utv4156f
Ranger Crew 800, 11-14 (f&r)	4/156	2.5"	utv4156
Ranger 800 6x6, 98-13 (f&r)	4/156	1.5"	utv4156f
Ranger 800 6x6, 98-13 (f&r)	4/156	2.5"	utv4156
Ranger 900, 13 (f&r)	4/156	1.5"	utv4156f
Ranger 900, 13 (f&r)	4/156	2.5"	utv4156
Ranger 900, 13-18 (f&r)	4/156	2.5"	utv4156-12
Ranger Crew 900, 14-18 (f&r)	4/156	2.5"	utv4156-12
Ranger 900-6, 13-16 (f&r)	4/156	2.5"	utv4156-12

Ranger 1000, 14-18 (f&r)	4/156	2.5"	utv4156-12		
Ranger Crew 1000, 14-18 (f&r)	4/156	2.5"	utv4156-12		
RZR 170, 09-18 (f&r)	4/110	1.5"	ws4110f		
RZR 170, 09-18 (f&r)	4/110	2.5"	utv4110y		
RZR 570, 12-17 (f&r)	4/156	1.5"	utv4156f		
RZR 570, 12-17 (f&r)	4/156	2.5"	utv4156		
RZR 800, 08-14 (f&r)	4/156	1.5"	utv4156f		
RZR 800, 08-14 (f&r)	4/156	2.5"	utv4156		
RZR 4 800, 10-14 (f&r)	4/156	1.5"	utv4156f		
RZR 4 800, 10-14 (f&r)	4/156	2.5"	utv4156		
RZR 900, 10-14 (f&r)	4/156	1.5"	utv4156f		
RZR 900, 10-14 (f&r)	4/156	2.5"	utv4156		
RZR 900, 15-18 (f&r)	4/156	2.5"	utv4156-12		
RZR 4 900, 13-14 (f&r)	4/156	1.5"	utv4156f		
RZR 4 900, 13-14 (f&r)	4/156	2.5"	utv4156		
RZR 4 900, 15-18 (f&r)	4/156	2.5"	utv4156-12		
RZR 925, 16 (f&r)	4/156	2.5"	utv4156-12		
RZR 1000, 14-18 (f&r)	4/156	2.5"	utv4156-12		
RZR 4 1000, 14-18 (f&r)	4/156	2.5"	utv4156-12		
Scrambler 400, 00-08 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Scrambler 400, 00-08 (r)	4/101	1.5"			gl101f
Scrambler 400, 00-08 (r)	4/101	2.5"			gl101
Scrambler 500, 97-13 (f)	4/156	1.5"	utv4156f	4156p	gl156f

Scrambler 500, 97-13 (r)	4/101	1.5"			gl101f
Scrambler 500, 97-13 (r)	4/101	2.5"			gl101
Scrambler 850, 13-18 (f&r)	4/156	1.5"	utv4156f		
Scrambler 850, 13-18 (f&r)	4/156	2.5"	utv4156		
Scrambler 1000, 14-18 (f&r)	4/156	1.5"	utv4156f		
Scrambler 1000, 14-18 (f&r)	4/156	2.5"	utv4156		
Sport 400, 98-99 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Sport 400, 98-99 (r)	4/101	1.5"			gl101f
Sport 400, 98-99 (r)	4/101	2.5"			gl101
note; wheel must be large enough to accept 6" diameter spacer at mounting surface					
Sportsman 90, 03-14 (f&r)	4/110	1.5"			gl110fp
Sportsman 90, 03-14 (f&r)	4/110	2.5"	ws4110p	4110p	gl110p
Sportsman 110, 15-18 (f&r)	4/110	1.5"			gl110fp
Sportsman 110, 15-18 (f&r)	4/110	2.5"	ws4110p	4110p	gl110p
Sportsman 300, 08-10 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 300, 08-10 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
Sportsman 335, 99-06 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 335, 99-06 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
Sportsman 400, 95-09 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 400, 95-09 (r)	4/101	1.5"			gl101f
Sportsman 400, 95-09 (r)	4/101	2.5"			gl101
Sportsman 400, 01-14 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 400, 01-14 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
Sportsman 450, 16-18 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 450, 16-18 (f&r)	4/156	2.5"	utv4156	4156pw	gl156

Durablue, Inc.

20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Sportsman 500, 96-13 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Sportsman 500, 96-13 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
Sportsman 550, 09-14 (f&r)	4/156	1.5"	utv4156f	4156f	gl155f
Sportsman 550, 09-14 (f&r)	4/156	2.5"	ws4155	4156	gl155
Sportsman 570, 14-18 (f&r)	4/156	1.5"	utv4156f		
Sportsman 570, 14-18 (f&r)	4/156	2.5"	utv4156		
Sportsman 600, 03-05 (f&r)	4/156	1.5"	utv4156f		
Sportsman 600, 03-05 (f&r)	4/156	2.5"	utv4156		
Sportsman 700, 02-07 (f&r)	4/156	1.5"	utv4156f		
Sportsman 700, 02-07 (f&r)	4/156	2.5"	utv4156		
Sportsman 800, 05-14 (f&r)	4/156	1.5"	utv4156f		
Sportsman 800, 05-14 (f&r)	4/156	2.5"	utv4156		
Sportsman 850, 09-18 (f&r)	4/156	1.5"	ws4155f		
Sportsman 850, 09-18 (f&r)	4/156	2.5"	ws4155		
Sportsman 850 Touring, 10-18 (f&r)	4/156	1.5"	utv4156f		
Sportsman 850 Touring, 10-18 (f&r)	4/156	2.5"	utv4156		
Sportsman 1000, 15-18 (f&r)	4/156	1.5"	utv4156f		
Sportsman 1000, 15-18 (f&r)	4/156	2.5"	utv4156		
Sportsman 1000 Touring, 15-18 (f&r)	4/156	1.5"	utv4156f		
Sportsman 1000 Touring, 15-18 (f&r)	4/156	2.5"	utv4156		
Trail Boss 250, 87-05 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 250, 87-05 (r)	4/101	1.5"			gl101f
Trail Boss 250, 87-05 (r)	4/101	2.5"			gl101
Trail Boss 300, 87-05 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 300, 87-05 (r)	4/101	1.5"			gl101f

Trail Boss 300, 87-05 (r)	4/101	2.5"			gl101
Trail Boss 325, 00-02 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 325, 00-02 (r)	4/101	1.5"			gl101f
Trail Boss 325, 00-02 (r)	4/101	2.5"			gl101
Trail Boss 330, 86-13 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 330, 86-13 (r)	4/101	1.5"			gl101f
Trail Boss 330, 86-13 (r)	4/101	2.5"			gl101
Trail Boss 350, 90-09 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 350, 90-09 (r)	4/101	1.5"			gl101f
Trail Boss 350, 90-09 (r)	4/101	2.5"			gl101
Trail Boss 400, 90-99 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Boss 400, 90-99 (r)	4/101	1.5"			gl101f
Trail Boss 400, 90-99 (r)	4/101	2.5"			gl101
Trail Blazer 250, 90-03 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Blazer 250, 90-03 (r)	4/101	1.5"			gl101f
Trail Blazer 250, 90-03 (r)	4/101	2.5"			gl101
Trail Blazer 330, 86-12 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Trail Blazer 330, 86-12 (r)	4/101	1.5"			gl101f
Trail Blazer 330, 86-12 (r)	4/101	2.5"			gl101
Xpedition 325, 00-06 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xpedition 325, 00-06 (r)	4/101	1.5"			gl101f
Xpedition 325, 00-06 (r)	4/101	2.5"			gl101
Xpedition 425, 99-06 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xpedition 425, 99-06 (r)	4/101	1.5"			gl101f
Xpedition 425, 99-06 (r)	4/101	2.5"			gl101
Xplorer 250, 00-02 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xplorer 250, 00-02 (r)	4/101	1.5"			gl101f

Xplorer 250, 00-02 (r)	4/101	2.5"			gl101
Xplorer 300, 90-99 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xplorer 300, 90-99 (r)	4/101	1.5"			gl101f
Xplorer 300, 90-99 (r)	4/101	2.5"			gl101
Xplorer 400, 95-03 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xplorer 400, 95-03 (r)	4/101	1.5"			gl101f
Xplorer 400, 95-03 (r)	4/101	2.5"			gl101
Xplorer 500, 96-06 (f&r)	4/156	1.5"	utv4156f	4156p	gl156f
Xplorer 500, 96-06 (f&r)	4/156	2.5"	utv4156	4156pw	gl156
Xpress 300, 96-99 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xpress 300, 96-99 (r)	4/101	1.5"			gl101f
Xpress 300, 96-99 (r)	4/101	2.5"			gl101
Xpress 400, 96-99 (f)	4/156	1.5"	utv4156f	4156p	gl156f
Xpress 400, 96-99 (r)	4/101	1.5"			gl101f
Xpress 400, 96-99 (r)	4/101	2.5"			gl101

SUZUKI

Eiger 400, 02-07 (f&r)	4/110	1.5"	ws4110f	4110f	
Eiger 400, 02-07 (f&r)	4/110	2.5"	utv4110y	4110	
King Quad 400, 08-18 (f&r)	4/110	1.5"	ws4110f	4110f	
King Quad 400, 08-18 (f&r)	4/110	2.5"	utv4110y	4110	
King Quad 450, 07-11 (f&r)	4/110	1.5"	ws4110f	4110f	
King Quad 450, 07-11 (f&r)	4/110	2.5"	utv4110y	4110	
King Quad 500, 09-18 (f&r)	4/110	1.5"	ws4110f	4110f	
King Quad 500, 09-18 (f&r)	4/110	2.5"	utv4110y	4110	

Durablue, Inc.
 20521 Crescent Bay Dr.
 Lake Forest, CA 92630

949-770-5533
 fax 949-768-4273
 www.durablue.com

King Quad 700, 06-08 (f&r)	4/110	1.5"	ws4110f		
King Quad 700, 06-08 (f&r)	4/110	2.5"	utv4110y		
King Quad 750, 08-18 (f&r)	4/110	1.5"	ws4110f		
King Quad 750, 08-18 (f&r)	4/110	2.5"	utv4110y		
Ozark 250, 02-13 (r)	4/110	1.5"	ws4110f	4110f	
Ozark 250, 02-13 (r)	4/110	2.5"	utv4110y	4110	
Quadrunner lt/alt 125, 83 (r)	3/100	2.5"		3100	
Quadrunner lt/alt 125, 84-87 (r)	4/130	2.5"		4130	
Quadrunner lt185, 83-87 (r)	4/130	2.5"		4130	
Quadrunner lt230, 87-89, 91-93 (f)	4/166	1.5"			gl166
Quadrunner lt230, 85-87 (r)	4/130	2.5"		4130	gl130
Quadrunner lt230, 88-89, 91-93 (r)	5/130	2.5"		5130	gl5130q
Quadrunner lt250, 84-86 (r)	4/130	2.5"		4130	
Quadrunner lt300, 87-88 (r)	4/130	2.5"		4130	
Quadrunner lt300, 89-90 (r)	5/130	2.5"		5130	
Quadracer lt250r, 85-92 (f)	4/166	1.5"			gl166
Quadracer lt250r, 85-86 (r)	4/130	2.5"		4130	gl130
Quadracer lt250r, 87-92 (r)	5/130	2.5"		5130	gl5130q
Quadracer lt500r, 87-90 (f)	4/166	1.5"			gl166
Quadracer lt500r, 87-90 (r)	5/130	2.5"		5130	gl5130q
Quadracer lt-r450, 06-14 (f)	4/144	1.5"		4144f	gl145f
Quadracer lt-r450, 06-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
Quadracer lt-r450, 06-14 (r)	4/110	2.5"	utv4110y	4110	gl110

note; wheel must be large enough to accept 6" diameter spacer at mounting surface

QuadSport It50, 86-87 (f&r)	3/90	2.5"		3090-8	
QuadSport It-z50, 06-18 (f&r)	3/90	2.5"		3090-8	
QuadSport It80, 87-05 (r)	3/120	2.5"		3120	gl315
QuadSport It-z90, 07-18 (f)	4/85	1.5"		4085f	
QuadSport It-z90, 07-18 (f)	4/85	2.5"		4085	
QuadSport It-z90, 07-18 (r)	3/120	2.5"		3120	
QuadSport It230, 85-88 (f)	4/166	1.5"			gl166
QuadSport It230, 85-88 (r)	4/130	2.5"		4130	gl130
QuadSport It250, 89-90 (f)	4/166	1.5"			gl166
QuadSport It250, 89-90 (r)	4/130	2.5"		4130	gl130
QuadSport z250, 02-11 (f)	4/144	1.5"		4144f	
QuadSport z250, 02-11 (r)	4/110	1.5"	ws4110f	4110f	
QuadSport z250, 02-11 (r)	4/110	2.5"	utv4110y	4110	
QuadSport z400, 03-08 (f)	4/144	1.5"		4144f	gl145f
QuadSport z400, 03-08 (r)	4/110	1.5"	ws4110f	4110f	gl110f
QuadSport z400, 03-08 (r)	4/110	2.5"	utv4110y	4110	gl110
QuadSport It-z400, 09-14 (f)	4/144	1.5"		4144f	gl145f
QuadSport It-z400, 09-14 (r)	4/110	1.5"	ws4110f	4110f	gl110f
QuadSport It-z400, 09-14 (r)	4/110	2.5"	utv4110y	4110	gl110
Twin Peaks 700, 04-06 (f&r)	4/110	1.5"	ws4110f		
Twin Peaks 700, 04-06 (f&r)	4/110	2.5"	utv4110y		
Vinson 500, 02-06 (f&r)	4/110	1.5"	ws4110f		
Vinson 500, 02-06 (f&r)	4/110	2.5"	utv4110y		

YAMAHA

Durablue, Inc.
20521 Crescent Bay Dr.
Lake Forest, CA 92630

949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART**note; wheel must be large enough to accept 5" diameter spacer at mounting surface**

Badger 80, 93-04 (r)	3/100	2.5"		3100	
Banshee 350, 87-06 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Banshee 350, 89-90 (r)	4/156	1.5"	ws4155f		
Banshee 350, 89-90 (r)	4/156	2.5"	ws4155	4156	gl155
Banshee 350, 87-88, 91-06 (r)	4/115	2.5"	utv4115	4115	gl115
BearTracker 250, 99-05 (f&r)	4/110	1.5"	ws4110f	4110f	
BearTracker 250, 99-05 (f&r)	4/110	2.5"	utv4110y	4110	
Big Bear 250, 06-09 (f&r)	4/110	1.5"	ws4110f	4110f	
Big Bear 250, 06-09 (f&r)	4/110	2.5"	utv4110y	4110	
Big Bear 350, 87-08 (f&r)	4/110	1.5"	ws4110f	4110f	
Big Bear 350, 87-08 (f&r)	4/110	2.5"	utv4110y	4110	
Big Bear 400, 87-13 (f&r)	4/110	1.5"	ws4110f	4110f	
Big Bear 400, 87-13 (f&r)	4/110	2.5"	utv4110y	4110	
Blaster 200, 88-07 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Blaster 200, 88-07 (r)	4/100	2.5"		4100	gl100
Breeze 125, 89-04 (f&r)	4/85	1.5"		4085f	
Breeze 125, 89-04 (f&r)	4/85	2.5"		4085	
Bruin 250, 05 (f&r)	4/110	1.5"	ws4110f	4110f	
Bruin 250, 05 (f&r)	4/110	2.5"	utv4110y	4110	
Bruin 350, 04-12 (f&r)	4/110	1.5"	ws4110f	4110f	
Bruin 350, 04-12 (f&r)	4/110	2.5"	utv4110y	4110	

note; wheel must be large enough to accept 5" diameter spacer at mounting surface

Grizzly 80, 06-08 (f)	4/88	2.5"		4088-8	
Grizzly 80, 06-08 (r)	3/90	2.5"		3090-8	

Durablue, Inc.20521 Crescent Bay Dr.
Lake Forest, CA 92630949-770-5533
fax 949-768-4273
www.durablue.com

APPLICATION CHART

Grizzly 125, 05-13 (f&r)	4/85	1.5"		4085f	
Grizzly 125, 05-13 (f&r)	4/85	2.5"		4085	
Grizzly 300, 13-14 (f&r)	4/110	1.5"	ws4110f	4110f	
Grizzly 300, 13-14 (f&r)	4/110	2.5"	utv4110y	4110	
Grizzly 350, 04-14 (f&r)	4/110	1.5"	ws4110f	4110f	
Grizzly 350, 04-14 (f&r)	4/110	2.5"	utv4110y	4110	
Grizzly 450, 03-14 (f&r)	4/110	1.5"	ws4110f	4110f	
Grizzly 450, 03-14 (f&r)	4/110	2.5"	utv4110y	4110	
Grizzly 550, 09-14 (f&r)	4/110	1.5"	ws4110f	4110f	
Grizzly 550, 09-14 (f&r)	4/110	2.5"	utv4110y	4110	
Grizzly 600, 98-01 (f&r)	4/110	1.5"	ws4110f		
Grizzly 600, 98-01 (f&r)	4/110	2.5"	utv4110y		
Grizzly 660, 02-07 (f&r)	4/110	1.5"	ws4110f		
Grizzly 660, 02-07 (f&r)	4/110	2.5"	utv4110y		
Grizzly 700, 12-18 (f&r)	4/110	1.5"	utv4110fy		
Grizzly 700, 12-18 (f&r)	4/110	2.5"	utv4110y		
Kodiak 400, 93-04 (f&r)	4/110	1.5"	ws4110f	4110f	
Kodiak 400, 93-04 (f&r)	4/110	2.5"	utv4110y	4110	
Kodiak 450, 03-18 (f&r)	4/110	1.5"	ws4110f	4110f	
Kodiak 450, 03-18 (f&r)	4/110	2.5"	utv4110y	4110	
Kodiak 700, 16-18 (f&r)	4/110	1.5"	utv4110fy		
Kodiak 700, 16-18 (f&r)	4/110	2.5"	utv4110y		
Moto-4 100, 87-90 (r)	4/100	2.5"		4100	gl100
Moto-4 225, 85-87 (f)	4/156	1.5"		4156f	

APPLICATION CHART

Moto-4 250, 89 (f&r)	4/110	1.5"	ws4110f	4110f
Moto-4 250, 89 (f&r)	4/110	2.5"	utv4110y	4110
Moto-4 350, 87-88 (f)	4/156	1.5"		4156f
Moto-4 350, 89-95 (f)	4/110	1.5"	ws4110f	4110f
Moto-4 350, 93-95 (r)	4/110	1.5"	ws4110f	4110f
Moto-4 350, 93-95 (r)	4/110	2.5"	utv4110y	4110

note; wheel must be large enough to accept 5" diameter spacer at mounting surface

Raptor 50, 04-08 (f)	4/88	2.5"		4088-8	
Raptor 50, 04-08 (r)	3/90	2.5"		3090-8	
Raptor 80, 02-08 (f)	4/88	2.5"		4088-8	
Raptor 80, 02-08 (r)	3/90	2.5"		3090-8	
Raptor 90, 09-18 (f&r)	4/110	1.5"	ws4110f	4110f	
Raptor 90, 09-18 (f&r)	4/110	2.5"	utv4110y	4110	
Raptor 125, 11-14 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Raptor 125, 11-14 (r)	4/115	1.5"	utv4115f	4115f	
Raptor 125, 11-14 (r)	4/115	2.5"	utv4115	4115	gl115
Raptor 250, 08-15 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Raptor 250, 08-15 (r)	4/115	1.5"	utv4115f	4115f	
Raptor 250, 08-15 (r)	4/115	2.5"	utv4115	4115	gl115
Raptor 250r, 11 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Raptor 250r, 11 (r)	4/115	1.5"	utv4115f	4115f	
Raptor 250r, 11 (r)	4/115	2.5"	utv4115	4115	gl115
Raptor 350, 05-15 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Raptor 350, 05-15 (r)	4/115	1.5"	utv4115f	4115f	
Raptor 350, 05-15 (r)	4/115	2.5"	utv4115	4115	gl115
Raptor 660, 01-05 (f)	4/156	1.5"	ws4155f	4156f	gl155f

APPLICATION CHART

Raptor 660, 01-05 (r)	4/115	1.5"	utv4115f		
Raptor 660, 01-05 (r)	4/115	2.5"	utv4115	4115	gl115
Raptor 700 all, 06-18 (f)	4/156	1.5"	ws4155f		
Raptor 700 all, 06-18 (r)	4/115	1.5"	utv4115f		
Raptor 700 all, 06-18 (r)	4/115	2.5"	utv4115		
Rhino 450, 04-09 (f&r)	4/110	1.5"	utv4110fy		
Rhino 450, 04-09 (f&r)	4/110	2.5"	utv4110y		
Rhino 650, 05-07 (f&r)	4/110	1.5"	utv4110fy		
Rhino 650, 05-07 (f&r)	4/110	2.5"	utv4110y		
Rhino 700, 04-13 (f&r)	4/110	1.5"	utv4110fy		
Rhino 700, 04-13 (f&r)	4/110	2.5"	utv4110y		
Timberwolf 250, 92-94 (f)	4/156	1.5"	ws4155f	4156f	
Timberwolf 250, 95-05 (f)	4/110	1.5"	ws4110f	4110f	
Timberwolf 250, 92-05 (r)	4/110	2.5"	utv4110y	4110	
Tri-Moto 125/175, 81-85 (r)	3/100	2.5"		3100	gl303
Tri-Moto 225 (r)	3/100	2.5"		3100	gl303
Tri-z 250, 85-86 (r)	4/100	2.5"		4100	gl100
Viking 700, 14-18 (f&r)	4/110	2.5"	utv4110v		
Warrior 350, 86-04 (f)	4/156	1.5"	ws4155f	4156f	gl155f
Warrior 350, 86-04 (r)	4/115	1.5"	utv4115f	4115f	
Warrior 350, 86-04 (r)	4/115	2.5"	utv4115	4115	gl115
Wolverine 350, 95-09 (f&r)	4/110	1.5"	ws4110f	4110f	
Wolverine 350, 95-09 (f&r)	4/110	2.5"	utv4110y	4110	
Wolverine 450, 95-11 (f&r)	4/110	1.5"	ws4110f	4110f	
Wolverine 450, 95-11 (f&r)	4/110	2.5"	utv4110y	4110	

APPLICATION CHART

Wolverine 700, 16-18 (f&r)	4/110	2.5"	utv4110v		
Wolverine 850, 18 (f&r)	4/110	2.5"	utv4110v		
ytm200dx, 88-90 (f)	4/156	1.5"		4156f	
Yfm200dxt, 86-90 (r)	4/100	2.5"		4100	gl100
note; wheel must be large enough to accept 6" diameter spacer at mounting surface					
yfz50, 17-18 (f&r)	4/110	1.5"	ws4110f	4110f	
yfz50, 17-18 (f&r)	4/110	2.5"	utv4110y	4110	
yfz450, 04-09, 12-15 (f)	4/156	1.5"	ws4155f	4156f	gl155f
yfz450, 04-09, 12-15 (r)	4/115	1.5"	utv4115f		
yfz450, 04-09, 12-15 (r)	4/115	2.5"	utv4115	4115	gl115
yfz450x, 10-11 (f)	4/156	1.5"	ws4155f	4156f	gl155f
yfz450x, 10-11 (r)	4/115	1.5"	utv4115f		
yfz450x, 10-11 (r)	4/115	2.5"	utv4115	4115	gl115
yfz450r/se, 09-18 (f)	4/156	1.5"	ws4155f	4156f	gl155f
yfz450r/se, 09-18 (r)	4/115	1.5"	utv4115f		
yfz450r/se, 09-18 (r)	4/115	2.5"	utv4115	4115	gl115
yxz1000, 16-17 (f&r)	4/110	2.5"	utv4110v		

NOTE;

"EZ Fit" spacers do not require stud removal for installation. These must be used when access to the inside of the hub is limited. Use for superior fit and assembly.

"Graph-Lite (GL)" spacers require the studs be removed from the wheel hub for installa-

tion and long "through bolts" (supplied) inserted in the stud hole.